Mathematische Zeitschrift

Band 165 · 1979

Herausgegeben von **T. tom Dieck,** Göttingen
H. Heyer, Tübingen
O.H. Kegel, Freiburg
W. Klingenberg, Bonn
A. Pfluger, Zürich
W. v. Wahl, Bayreuth
K. Zeller, Tübingen

Wissenschaftlicher Beirat B. Eckmann, Zürich · E. Heinz, Göttingen
K. H. Hofmann, New Orleans · U. Krengel, Göttingen
W. Magnus, New York · G. Pickert, Gießen
K. W. Roggenkamp, Stuttgart · H. Salzmann, Tübingen
H.H. Schaefer, Tübingen · L. Smith, Göttingen
H. Wielandt, Tübingen

Springer-Verlag
Berlin · Heidelberg · New York

The exclusive copyright for all languages and countries, including the right for photomechanical and any other reproductions, even in microform, is transferred to the publisher.

Alle Rechte, einschließlich das der Übersetzung in fremde Sprachen und das der fotomechanischen Wiedergabe oder einer sonstigen Vervielfältigung, auch in Mikroform, vorbehalten. Jedoch wird gewerblichen Unternehmen für den innerbetrieblichen Gebrauch nach Maßgabe des zwischen dem Börsenverein des Deutschen Buchhandels e.V. und dem Bundesverband der Deutschen Industrie abgeschlossenen Rahmenabkommens die Anfertigung einer fotomechanischen Vervielfältigung gestattet. Wenn für diese Zeitschrift kein Pauschalabkommen mit dem Verlag vereinbart worden ist, ist eine Wertmarke im Betrage von DM 0,40 pro Seite zu verwenden. *Der Verlag läßt diese Beträge den Autorenverbänden zufließen.*

Springer-Verlag/Berlin · Heidelberg · New York
Printer: Universitätsdruckerei H. Stürtz AG, Würzburg
Printed in Germany. – © by Springer-Verlag Berlin Heidelberg 1979

Inhalt/Contents

Ahlswede, R., Daykin, D.E.: Inequalities for a Pair of Maps $S \times S \to S$ with S a Finite Set 267

Bundschuh, P.: Scharfe Irrationalitätsmaße für Zahlen, die mit Bessel-Funktionen zusammenhängen 251

Buser, P.: Beispiele für λ_1 auf kompakten Mannigfaltigkeiten 107

Camina, A.R.: Permutation Groups of Even Degree Whose 2-Point Stabilisers are Isomorphic Cyclic 2-Groups 239

Comer, S.D.: The Countable Chain Condition and Free Algebras 101

Daykin, D.E., s. Ahlswede, R. 267

Ellis, M.H.: Sweeping out under a Collection of Transformations 213

Ewing, J.: The Image of the Atiyah-Bott Map 53

Felix, R., Henrichs, R.W., Skudlarek, H.L.: Topological Frobenius Reciprocity for Projective Limits of Lie Groups 19

Freitag, E.: Ein Verschwindungssatz für automorphe Formen zur Siegelschen Modulgruppe 11

Gerhardt, C.: Stationary Solutions to the Navier-Stokes Equations in Dimension Four 193

Goldstein, R.Z., Turner, E.C.: Applications of Topological Graph Theory to Group Theory 1

Henrichs, R.W., s. Felix, R., et al. 19

Howes, F.A.: An Improved Boundary Layer Estimate for a Singularly Perturbed Initial Value Problem 135

Kuku, A.O.: SG_n of Orders and Group-Rings 291

Mollin, R.: Uniform Distribution Classified 199

Pandey, J.N., s. Pathak, R.S. 29

Pathak, R.S., Pandey, J.N.: The Kontorovich-Lebedev Transformation of Distributions 29

Polat, N.: Aspects topologiques de la séparation dans les graphes infinis. I 73

Polat, N.: Aspects topologiques de la séparation dans les graphes infinis. II 171

Pommerening, K.: Observable radizielle Untergruppen von halbeinfachen algebraischen Gruppen 243

Reeken, M.: Classical Solutions of the Chain Equation. I 143
Rosenberger, G.: Eine Bemerkung zu einer Arbeit von T. Jørgensen . . . 261
Schenzel, P.: Zur lokalen Kohomologie des kanonischen Moduls 223
Sjölin, P.: An H^p Inequality for Strongly Singular Integrals 231
Skudlarek, H.L., s. Felix, R., et al. 19
Turner, E.C., s. Goldstein, R.Z. 1

Covered by Zentralblatt für Mathematik
and Contents of Mathematical Publications

INSTRUCTIONS TO AUTHORS

A. General

Papers submitted (in duplicate please) for publication may be written in English, French or German. A **summary** for Zentralblatt für Mathematik (including key words for classification) should be attached.

To speed up publication, authors will receive **only one set of proofs:** provisionally numbered page proofs. Authors are requested to **correct typographical errors only;** they will be charged for corrections involving changes, additions or deletions to the original manuscript.

Manuscripts must be in their **final form,** typed on one side of each sheet only, with double spacing and wide margins. Formulae should be typewritten whenever possible. Mimeographed copies are not acceptable unless clearly legible.

Please include a "Note for the Printer" explaining markings used. See suggestions overleaf.

Diagrams should be submitted on separate sheets, not included in the text. They should be drawn in Indian ink in clean and clear uniform lines, the whole about twice the size of the finished illustration. Inscriptions should allow for the figure 1, for example, to be about 2 mm high in the final version (i.e. 4 mm for reduction $\times\frac{1}{2}$). The author should mark in the margin of the manuscript where diagrams may be inserted.

Footnotes, other than those which refer to the title heading, should be numbered consecutively and placed at the foot of the page to which they refer (not at the end of the article). They should preferably be avoided.

Please give on the first page of the manuscript a **running head** (condensed title), which should not exceed 70 letters including spaces.

References to the literature should be listed at the end of the manuscript. The following information should be provided for **journal articles:** names and initials of all authors, full title of the paper, name of the journal, volume, first and last page numbers and year of publication. References to **books** should include name(s) of author(s), full title, edition, place of publication, publisher and year of publication.

Examples

Bombieri, E., Giusti, E.: Harnack's inequality for elliptic differential equations on minimal surfaces. Inventiones math. **15**, 24–46 (1971)

Tate, J.T.: *p*-Divisible Groups. In: Proceedings of a Conference on Local Fields (Driebergen 1966), pp. 158–183. Berlin-Heidelberg-New York: Springer 1967

B. Marking

1. Text

Words or sentences to be set in *italics* should be marked by single underlining.

The words **"Theorem", "Proposition", "Lemma", "Corollary"** etc. are normally printed in **boldface**, followed by the formulation in italics (to be underlined in the manuscript).
The words "*Proof*", "*Remark*", "*Example*", "*Case*" etc. are printed in italics, and "Definition" in boldface with the formulation in ordinary typeface.

2. Formulae

Letters in formulae are normally printed in italics, figures in ordinary typeface.
It will help the printer if in doubtful cases the position of indices and exponents is marked thus: $b\,\hat{}\,, a\,\check{}$. Spacing of indices and exponents must be specially indicated ($A_m{}^n{}_n{}^m$), otherwise they will be set (A_{mn}^{nm}).
Underlining for special alphabets and typefaces should be done according to the following code:

single underlining:	small letter
double underlining:	capital letter
brown:	boldface (headings, boldface letters in formulae)
yellow:	upright (abbreviations e.g. Re, Im, log, sin, ord, id, lim, sup, etc.)
red:	Greek
blue:	Gothic
green:	Script
violet:	the numerals 1 and 0 (to distinguish them from the small letter *l* and the capital letter *O*)

The following are frequently confused:

$\circ, o, O, 0$; $\cup, \mathbf{u}, \bigcup, U$; $\times, x, X, \kappa$; $\vee, v, \nu$; $\theta, \Theta, \phi, \varphi, \Phi, \varnothing$; ψ, Ψ; $\varepsilon, \in$;

a', a^1; the symbol *a* and the indefinite article a;

also the handwritten Roman letters:

c, C; e, l; I, J; k, K; o, O; p, P; s, S; u, U; v, V; w, W; x, X; z, Z;

Please take care to distinguish them in some way.

C. Examples

1. Special alphabets or typefaces

Script	$\mathscr{A}, \mathscr{B}, \mathscr{C}, \mathscr{D}, \mathscr{E}, \mathscr{F}, \mathscr{G}, \mathscr{H}, \mathscr{I}, \mathscr{J}, \mathscr{K}, \mathscr{L}, \mathscr{M}, \mathscr{N}, \mathscr{O}, \mathscr{P}, \mathscr{Q}, \mathscr{R}, \mathscr{S}, \mathscr{T}, \mathscr{U}, \mathscr{V}, \mathscr{W}, \mathscr{X}, \mathscr{Y}, \mathscr{Z}$
	$a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z$
Sanserif	A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z
	a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z
Gothic	$\mathfrak{A}, \mathfrak{B}, \mathfrak{C}, \mathfrak{D}, \mathfrak{E}, \mathfrak{F}, \mathfrak{G}, \mathfrak{H}, \mathfrak{I}, \mathfrak{J}, \mathfrak{K}, \mathfrak{L}, \mathfrak{M}, \mathfrak{N}, \mathfrak{O}, \mathfrak{P}, \mathfrak{Q}, \mathfrak{R}, \mathfrak{S}, \mathfrak{T}, \mathfrak{U}, \mathfrak{V}, \mathfrak{W}, \mathfrak{X}, \mathfrak{Y}, \mathfrak{Z}$
	$\mathfrak{a}, \mathfrak{b}, \mathfrak{c}, \mathfrak{d}, \mathfrak{e}, \mathfrak{f}, \mathfrak{g}, \mathfrak{h}, \mathfrak{i}, \mathfrak{j}, \mathfrak{k}, \mathfrak{l}, \mathfrak{m}, \mathfrak{n}, \mathfrak{o}, \mathfrak{p}, \mathfrak{q}, \mathfrak{r}, \mathfrak{s}, \mathfrak{t}, \mathfrak{u}, \mathfrak{v}, \mathfrak{w}, \mathfrak{x}, \mathfrak{y}, \mathfrak{z}$
Boldface	**A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z**
	a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z
Special Roman	$\mathbb{A}, \mathbb{B}, \mathbb{C}, \mathbb{D}, \mathbb{E}, \mathbb{F}, \mathbb{G}, \mathbb{H}, \mathbb{I}, \mathbb{J}, \mathbb{K}, \mathbb{L}, \mathbb{M}, \mathbb{N}, \mathbb{O}, \mathbb{P}, \mathbb{Q}, \mathbb{R}, \mathbb{S}, \mathbb{T}, \mathbb{U}, \mathbb{V}, \mathbb{W}, \mathbb{X}, \mathbb{Y}, \mathbb{Z}, \mathbb{1}$
Greek	$\Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega$
	$\alpha, \beta, \gamma, \delta, \varepsilon, \zeta, \eta, \theta, \vartheta, \iota, \kappa, \lambda, \mu, \nu, \xi, o, \pi, \rho, \sigma, \tau, \upsilon, \varphi, \phi, \chi, \psi, \omega$
Greek Sanserif	A, B, Γ, Δ, E, Z, H, Θ, I, K, Λ, M, N, Ξ, O, Π, P, Σ, T, Y, Φ, X, Ψ, Ω
	α, β, γ, δ, ε, ζ, η, ϑ, θ, ι, κ, λ, μ, ν, ξ, ο, π, ρ, σ, ς, τ, υ, ϕ, χ, ψ, ω
	(Indices and superscripts are not available)

2. Notations

preferred form	instead of
$A^*, \tilde{b}, \gamma', \mathfrak{v}, \mathbf{v}$	$\bar{A}, \hat{b}, \check{\gamma}, \vec{v}$
lim sup, proj lim	$\overline{\lim}, \underleftarrow{\lim}$
$f: A \to B$	$A \xrightarrow{f} B$
$\sum_{n=1}^{\infty}$	$\overset{\infty}{\underset{n=1}{\sum}}$

preferred form	instead of
$\exp(-(x^2+y^2)/a^2)$	$e^{-\frac{x^2+y^2}{a^2}}$
$\dfrac{\cos(1/x)}{(a+b/x)^{1/2}}$	$\dfrac{\cos\dfrac{1}{x}}{\sqrt{a+\dfrac{b}{x}}}$